

Table of Contents

Chairs

Series 5
Series A5
Gala Series6
Gala Series Garden 6
Chiavari
Auditorium 8
Bariatric
Superb Banquet
Chair EvenTRUXII

Tables

Commercialite
Laminate
ProRent Plywood
ProSlim Plywood
ProRent Pedestal
Laminate Pedestal
Spring Lock Square Leg
Table EvenTRUX

Dance Floors

Ovation	•	•	•							•	•	•	•					•	•	•	•	•	•	•	2	2(•
---------	---	---	---	--	--	--	--	--	--	---	---	---	---	--	--	--	--	---	---	---	---	---	---	---	---	----	---

Specifications

Chairs22-25
Tables26-29
Dance Floor
EventTRUX 31





Series 5[™]


Stackable Folding Chairs







Specifications Page 22



- Made in the USA ensures consistent quality as well as excellent customer service before and after the sale
- Series 5 constructed of HSLA (High Strength Low Alloy) tempered U.S. steel provides light weight without compromising strength
- Small details make a big difference: custom designed high strength rivets, not screws; taper crimped braces; drain holes for a dry seat and optional hot stamp I.D.






Stackable Folding Chairs





Our Series A5 is the only aluminum polyfold chair completely produced in the United States. We use only U.S. aluminum, plastic, components and craftsmanship to manufacture this light weight chair.

- Made in the USA ensures consistent quality, superb customer service, and a variety of options.
- Series A5 constructed of aluminum and stainless steel for rust free performance.
- Custom designed high strength rivets, not screws; taper crimped braces; drain holes for a dry seat and optional hot stamp I.D.









McCourt Exclusive!

Gala Series[™] Resin Folding Chairs

Beautiful, lightweight design offers classic style and easy installation.

- Heavy duty construction prevents rear legs from bends or breaks
- UV stabilized polypropylene
- Replaceable padded seat
- Indoor and outdoor use







Specifications Page 23













Gala Series Garden™

Resin Folding Chairs

Same high quality and strength of the Gala Series™, but with a slatted seat for enhanced outdoor use.

- UV stabilized polypropylene
- Slatted seat and upscale design make it perfect for use in outdoor events and patio areas.

Exclusively distributed by



A reliable chair for high profile events and elegant functions. Light weight aluminum construction offers extreme strength and virtually maintenance free years of service.

- 100% welded aluminum construction, no assembly required
- Holds 1000 lbs static weight
- Waterproof, will not crack, warp or split like wooden chairs
- Baked on powder coat finished in 5 popular colors





Auditorium



The McCourt Auditorium chair is perfect for churches, waiting rooms and any area where comfortable seating is desired. This chair is constructed for maximum strength - suitable for bariatric use.

- Welded frame of mandrel bent square steel tubing and load tested to over 1500 lbs
- 20" wide chairs features a 2.75" seat cushion and padded lumbar support in back rest
- Standard features include ganging clips for seamless bench-like seating and rear access book rack.





The McCourt Bariatric Auditorium chair is excellent for waiting rooms, classrooms and conference rooms. It is constructed for maximum strength and features an extra wide 22" width.

- Welded frame of mandrel bent square steel tubing and load tested to over 1500 lbs
- Seat cushion is 2.75" thick and back offers padded lumbar support
- Ganging clips provide auditorium style seating.









Able to hold over 1500 pounds in static weight, this chair offers strength and elegance in convention centers, banquet halls, restaurants, meeting rooms and hotels.

- High crown back is stylish while providing a handle for easy transport
- Welded frame with Silvervein powder coat finish for extreme commercial use
- Double stitched seat perimeter provides durability
- Polyolefin fabric is strong, color fast and resistant to stains and odors








Make moving, set-up, tear-down and storage of your chairs easy. Heavy duty construction provides years of service in the daily use of event rental, convention center and hospitality industries.

- Large wheels and casters provide greater mobility
- Wide selection to offer the most effective storage and mobility for your application
- Made in the USA with high quality materials, craftsmanship and customer service









- Easy to clean polyethylene plastic top is stain, heat, and impact resistant as well as UV inhibited for outdoor use
- Blow molded tops are hermetically sealed against biological contamination and meet BIFMA standards
- Heavy duty leg assembly supports over 3500 pounds and is bolted through the table top to provide the strength needed for the rough handling of industrial use
- Accepts 3/4" skirting clips





Our Laminate tables offer a linen free look construction for long use in high demand situations like classroom and banquet settings.

- Six standard Wilsonart® Laminate choices with other laminates available.
- Standard wishbone style folding legs with detent leg lock, "H" style folding leg standard on 18" wide tables
- Optional leg styles include
 - Roman Style
 - "L" Style







Our ProRentTM 3/4" plywood tables are built with the best materials available and feature all the options the industry requires:

- Bolt-Through construction
- Vinyl Bull Nose edging standard
- Aluminum SuperEdge for maximum durability available
- Specialty Shapes and Sizes upon request
- Exclusive SuperCorner! Replace vulnerable corners with our exclusive SuperCorner insert. Transforms rectangle tables into stronger and longer lasting tables!

Specifications Page 27



Our ProSlim[™] 5/8" plywood tables offer a slim profile for extra storage space. Constructed for outstanding toughness and durability in the hospitality and event market:

- Aluminum SuperEdge standard
- Bolt-Through construction
- Wishbone folding legs with detent leg lock
- Specialty Shapes and Sizes upon request





ProRent[™] Pedestal



Our ProRentTM pedestal tables allow easy assembly and tear down for your special event needs. Each plywood pedestal table is PolyCoat finished and requires no tools for assembly.


- Options include
 - Telescopic column
 - Aluminum SuperEdge
 - Black column and base
 - Trumpet base



Pedestal Tables

Laminate Pedestal





- Options include
 - Telescopic column
 - Black column and base
 - Trumpet base

Party Pack Tables



A Party On Wheels! The Party Pack™ includes our exclusive Party Cart and

- 8 30" or 36" Pedestal Tops
- 8 30" Columns
- 8 42" Columns
- 8 Pedestal Bases









Spring Lock Square Leg



These tables provide the extreme strength and elagant look demanded by the Hospitality Industry. Choose Laminate or PolyCoat finished plywood table tops on our rugged square spring lock folding legs.

- 1.5" Square Legs lock in the open position.
- Vinyl Bull Nose edging standard
- Available in Seminar, Banquet, Round, Square, and Serpentine shapes.
- Six standard Wilsonart® Laminate choices with the option to choose from the complete Wilsonart® line.
- PolyCoat finish is cured with Ultraviolet Light.



Table EVENTrux[™] Dispatch Systems

Make moving, set-up, tear-down and storage of your tables easier. Heavy duty construction provides years of service in the daily use of event rental, convention center and hospitality industries.

- Large wheels and casters provide greater mobility
- Wide selection to offer the most effective storage and mobility for your application
- Made in the USA with high quality materials, craftsmanship and customer service





Ovation™


Portable Dance Floor





Product

Specifications



- Easy to handle 3'x3' sections are constructed of luxury flooring 3/4" over plywood core.
- Available in Light Oak, Windsor Oak vinyl, and Black or White laminate.
- Back is sealed using nonskid GatorBack[™] coating.
- Ribbed aluminum edging features 11 degree slope for no slip easy access.



Specifications Page 31









Series 5[™] and A5[™] Stackable Chair

Frame

Series 5 - .75" dia. x .038" thick wall in HSLA (High Strength Low Alloy) tubing, the industry leader in light weight and high strength chair frame work. All tubing is rolled on the foot end for durability. Braces of .625" x .023" thick cold rolled tubing precision bent and crimped with proprietary ends to prevent moisture entrapment in joints. Back brace comes standard with bottom drain holes. Rivets are semi-tubular, zinc plated. Brace and back rivets are 3/16" diameter, all others are 1/4". Seat retaining plate is .038" thick CRCQ

Series A5 - .76" dia. x .084" anodized aluminum tubing for even lighter weight and greater rust resistance. High strength cross braces of .625" dia x .049" thick tubing. All rivets, buttons, seat clips and seat plate are stainless steel.

Seat & Back

100% Virgin Polypropylene with color blended throughout formulated with anti-static and ultra violet additives. Feet are Linear Low Density Polyethylene for high strength and foot retention.


Powder Coating and Pre-Treatment


Series 5 - Tubing is pretreated in a 5 stage industrial cleaning treatment for enhanced corrosion resistance and maximum molecular bonding of the powder coating. Baked-on polyester powder coating has outstanding toughness, excellent weathering






Ganging Clip





Free Hot Stamp ID (100 chair minimum)



Testing and Specifications

Random lot testing of production chairs to failure by calibrated load versus deflection. Series 5 chairs test to load bearing capacity of 1000# and are BIFMA™ Certified.

Weight

Series 5 - 6.5 lbs. Ships in 70 lb 10 pack or 710 lb 100 pack on

Series A5 - 5.5 lbs. Ships in 57 lb 10 pack or 580 lb 100 pack on

FanBack Style

Available in Black/Black or White/White. Other color combinations available with minimum order.

Guarantee

The Series 5 and Series A5 are manufactured in the USA with U.S. components and craftsmanship.

Full 3 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



21 Blac		Frame Color
ZI Blac	×	11 = Bronze
31 Gra	ny	21 = Black
lassic \	White	31 = Gray
kright \	White	41 = Classic White
Chro	me	51 = Bright White
5 Neur	en!	61 = Chrome
) I den	u ai	65 = Neutral
Alumi	num	67 = Aluminum
		Seat/back Color
,	020 Black	010 = Burgundy
		020 = Black
	040	030 = Charcoal
	Blue	040 = Blue
		050 = Bright White
	060	060 = Classic White
3	Classic Wt	070 = Bone
		080 = Camel
	080 Camel	090 = Brown
		200 = Gray
		000 = Neutral
	200 Gray	110 = Green
		Complete Part Number Is
	110	Frame + Seat/back
	Green	Ex: Brown Bronze = 11090

Color Options

Gala Series[™] and Gala Series Garden[™]

Construction

The Gala Series[™] Chair is made from 100% polypropylene resin. This virgin material is UV stabilized for weatherproofing and to prevent fading. The zinc-coated screws used in construction prevent rust and go all the way through the legs for better support. Two seat bars carry the seat load, not the screws. The padded, upholstered foam seat snaps in and out easily with sturdy clips made into the seat. Interlocking features allow for better stacking, allowing up to 30 chairs to be stacked on a dolly.

Load Testing: Load tested by SGS Laboratories to over 1000 lbs.

Gala Series Garden™ Gala Series™

Weight & Dimensions

Each chair weighs 9.95 pounds. Carton of 4: 39.8 lbs Open: 30.5" H x 17.5" W x 18.5" D Seat: 18" H x 15.5" W x 14" D Flat: 34.5" H x 17.5" W x 2.5" D

Colors

Gala Series [™] and Gala Series Garden [™] available in white. Gala Series ™ also available in black.

Guarantee

I year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



S	tyle Options
Item#	Chair
77100 =	Gala Series™ White
77101 =	Gala Series™ Black
77202 =	Gala Series Garden™
Interlock for outstanding stacking capabilities	•

Chiavari Chair

Construction


100% welded for superior strength. Main frame 1 1/4" diameter x 2.0 mm aluminum tubing. 4 leg braces of 7/8" diameter aluminum tubing. Seat is stamped aluminum with 5/8" square aluminum tubing cross brace for strength and durability. Static load tested to 1000 lbs.

Glides and Stacking Buttons

Each leg is capped with non-marring ABS plastic glides. Side leg braces feature two rubber stack buttons to protect the seat surface of the chair below when stacked.

Weight & Dimensions Individual chair weight 7 lbs. Chair: 36" H x 18.5" W x 17" D.

Seat: 18" H x 16" W x 16" D. Stacks 6 high for storage: 64"H x 18.5" W x 25" D, 42 lbs. Ships in 5 pack carton: 58" H x 18"W x 26" D, 42 lbs.



Color



Optional Cushion - Polyester cover

features piping on upper and lower seam, hook & loop fasteners and zippered back for laundering. Cushion is 2" thick and 15" W x15.5" D. Available in White, Ivory or Black.

Guarantee

Full I year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Co	olor Options
Item#	Chair Color
77200	= Gold
77205	= Champagne
77201	= Silver
77202	= White
77203	= Black
77204	= Mahogany
77210	= Cushion



Auditorium and Bariatric Chair

Main Frame

Constructed of 18 gauge 1" square steel tubing. Braces are 3/4" square tubing. Frame is mandrel bent and welded at two points each side. Storage rack underneath is 1/8" wire welded on 1 3/4" centers with holder for small sacramental glasses. Ganging clips of 1/4" gauge wire provides easy chair to chair attachment. Frame is finished in baked on powder coat for extreme commercial use.

Cushion Platforms

Seat and back platforms are 3/8" hardwood plywood to which upholstery is stapled. Each platform is fastened to the frame with four #10 screws. Back platform is tapered at the waist to allow stacking without upholstery wear.

Padding and Upholstery

Seat padding is comprised of 2 3/4" virgin polyurethane base pad with a foam density of 1.6 lb/cf. Back padding is 1 1/2" virgin polyurethane foam sculpted with 1 1/4" lumbar pad.

Fabric upholstery is a backed, heavy-hand Polyolefin fiber which is stapled to padded platforms. Polyolefin fabric is strong, color fast and resistant to stains and odors.


Vinyl upholstery is a superior leather alternative which is strong, durable and mildew resistant.

Chair Glides and Stacking Buttons

Glides are injection molded polyethylene with half circle profile. Stacking buttons allow stacking up to 8 high with no marring.

Weight and Dimensions

20" Wide Seat - Chair weighs 18.5 pounds. 22" Wide Seat - Chair weighs 19.5 pounds. Can be stacked 8 high safely for storage.



Guarantee

Full 3 year warranty against upholstery seam failures and frame damage due to materials and workmanship under normal use. Fabric tears and stains not covered. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Color

Standard upholstery colors are Charcoal, Navy Blue, Forest Green, Burgundy, Grape, Purple and Beige on custom fabrics and vinyl available. Frame is silvervein powder coat finish for extreme commercial application.

Custom fabrics. vinyl and extra wide chair



Contact us for pricing and lead time.



20" Color Options Unhalstery Ontions

Opnoistery Options
Frame = Silvervein
Item# Fabric Color
10520 = Charcoal
10530 = Navy Blue
10540 = Forest Green
10550 = Burgundy
10560 = Grape
10561 = Purple
10570 = Beige
Frame = Coppervein
10590 = Espresso
Item# Vinyl Color
Frame = Silvervein

Frame = Silverve
10600 = Tan
10601 = Forest G
10602 = Charcoa

10602 =	Charcoal
10603 =	Steel Blue
40004	_

reen

10604 = Buck	
10605 = Antelope	
40000 DI I	

10606	= Black	
10607	- Camal	

10607	=	Camel
10608	=	Burgund

10000	- burguriay
10609	= Parchement

10610 = Gold

Charcoal	Black	Steel Blue
Navy Blue	Dark Green	Forest Green
Forest Green	Gold	Parchment
Burgundy	Camel	Antelope
Grape	Burgundy	Tan
Purple	Buck	Charcoal

Silvervein Frame

22" Color Options **Upholstery Options**

Frame = Silvervein Item# Fabric Color 1052XW = Charcoal **10530XW** = Navy Blue 10540XW= Forest Green

10550XW = Burgundy **10560XW**= Grape

10570XW = Beige

Item# Vinyl Color Frame = Silvervein

10600XW = Tan **10601XW** = Forest Green

10602XW = Charcoal

10603XW = Steel Blue

10604XW = Buck **10605XW** = Antelope

10606XW = Black

10607XW = Camel **10608XW** = Burgundy

10609XW = Parchement **10610XW** = Gold

Superb Banquet Chair

Main Frame

Constructed of 18 gauge 7/8" square steel tubing. Braces are 5/8" square tubing. Frame is welded at 2 points each side. Frame is finished in baked on powder coat for extreme commercial use.

Cushion Platforms

Seat platform is 1/2" plywood and back platform is 3/8" plywood to which upholstery is stapled. Seat platforms are fastened to frame with #10 screws. Back platform is bolted at four interior perimeter points with #8 screws. Back cover is blind tacked to back platform.

Padding and Upholstery

Seat padding is comprised of 1 1/2" virgin polyurethane foam. Back padding is 5/8" virgin polyurethane foam trapped by material and platform. Back cover has 1/8" virgin polyurethane foam.

Fabric Upholstery is a backed, heavy-hand Polyolefin fiber with double stitched seat perimeter for durability. Polyolefin fabric is strong, color fast and resistant to stains and odors.

Vinyl upholstery is a superior leather alternative which is strong, durable and mildew resistant.

Chair Glides and Stacking Buttons

Glides are injection molded with half circle profile. Stacking buttons allow stacking up to 10 high with no marring.

Weight and Dimensions

Chair weighs 14.5 pounds. Can be stacked 10 high for storage.

Guarantee

Full I year warranty against upholstery seam failures and frame damage due to materials and workmanship under normal use. Fabric tears and stains not covered. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Color


Upholstery color available in Charcoal, Navy Blue, Forest Green, Burgundy, Beige or Black fabric and Burgundy or Black Vinyl with Silvervein powder coat finish, and Espresso fabric with Coppervein powder coat finish.

Espresso

Coppervein Frame



Silverveir Frame





Commercialite® Table

Table Top

Blow molded table top of polyethylene plastic formulated for minimal fade or thermal stress cracking (indoor storage recommended). Average thickness to be .140". Table edge is 7/8" to accept standard skirting clips. Round tables made of two half circle parts permanently bonded together. Top is attached to main frame with bolts and nylon nuts to provide extreme durability.

Main Frame and Leg Assembly

Main frame constructed of U.S. steel: rails of 14 gauge rolled steel, legs of 16 gauge 1" steel tubing and braces of 11 gauge stamped steel. Legs permanently swaged into rails to ensure no separation during rough handling. Glides are non-marring inserts. Wishbone style legs on all but 4' and 5' rectangle tables which feature "H" style legs. Adjustable height and 23" child height legs available on certain sizes.

Pre-Paint Treatment and Powder Coating

Frame and legs are pretreated for rust resistance and paint adhesion. Baked on polyester powder coat finished.

Gray tops with black powder coat frame and legs.

TABLE	SIZE	WT	ITEM
SHAPE	LxWxH	LBS	NUMBER
SEMINAR			
N	6' x 18" x 30"	32	77815
N I	8' x 18" x 30"	40	77835
BANQUET			
	4' x 30" x 30"	40	77790
MAD	5' x 30" x 30"	43	77794
	6' x 30" x 30"	44	77800
	8' x 30" x 30"	56	77820
7	0 X 00 X 00	•	7.7020
ROUND			
	60" Dia x 30"	66	77840
M 1	72" Dia x 30"	80	77860
BENCH			
3	6' x 18" x 17"	30	77815B
Luc A	8' x 18" x 17"	38	77835B
	0 % 10 % 11	30	

Guarantee

TABLE

Full 10 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

ITEM

SIZE

Laminate Table

Table Top

3/4" commercial grade plywood core with Wilsonart® high pressure laminate top surface and backer sheet. Six stock laminate choices, other options available upon request. Edging is T-style black vinyl molding.

Main Frame and Leg Assembly

Frame constructed of U.S. steel rails and folding legs. I 7/8" Apron formed of 14 gauge steel and fitted to ABS plastic corners. Legs are 16 gauge 1" tubing with braces of 11 gauge steel. Wishbone style legs on all but 18" wide seminar tables which feature "H" style legs. Legs are capped with non-marring insert style glides. Detent leg locks secure in the open and closed positions. Frame and legs secured to the tabletop with screws.

Pre-Paint Treatment and Powder Coating


Frame and legs are pretreated for rust resistance and paint adhesion. Baked on polyester powder coat finished.

Options

Modesty Panel - 9" wide with the same construction as the table top. Folds for storage.

Leg Styles

- Roman Style in 1.25" diameter steel tubing.
- "L" Style in 1.25" diameter steek tubing.
- Other leg styles available upon request



Guarantee

Roman Style

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Stock Laminate Other options available upon request

GREY GLACE

BLACK

WILD CHERRY

MONTANA

WALNUT

BLACKSTAR

GRANITE

GRAPHITE

NEBULA

3/4" ProRent™ Plywood Table

Commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is T-style black vinyl molding.

Support Rails

Solid hardwood rails are counter bored for through-bolt mounting and stained to match top.

Legs

Legs are fully welded of 16 gauge 1" dia. tubing with braces of 11 gauge stamped steel. Standard legs style is wishbone except on 18" wide tables which use "H" style legs. Detent leg locks secure in the open and closed positions. Complete leg assembly is finished with Black powder coating. Glides are non-marring inserts.

Assembly

Through-bolt attachment of rails and folding legs ensures strength and durability.

Options

SuperCorner - ABS plastic insert reinforces corners to guard against corner damage. Available on rectangle tables only.

Aluminum SuperEdge - smooth wrap around T-style edging for superior edge protection.

SuperSquare - Square corners with SuperEdge.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight

charges.



Commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is aluminum SuperEdge, a smooth wrap around T-style edging for superior edge protection.

Support Rails

Solid hardwood rails are counter bored for through-bolt mounting and stained to match top.


Legs

Legs are fully welded of 16 gauge I" dia. tubing with braces of II gauge stamped steel. Standard legs style is wishbone except on 18" wide tables which use "H" style legs. Detent leg locks secure in the fully open and fully closed positions. Complete leg assembly is finished with Black powder coating. Glides are non-marring inserts.

Through-bolt attachment of rails and folding legs ensures strength and durability.

Options

SuperSquare –Square corners with aluminum SuperEdge.



WT ITEM NO.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



ProRent[™] Plywood Pedestal Table

3/4" commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with 3 mils on top and 1.5 mil on bottom surfaces. Edge is T-style black vinyl molding.

Mounting Cap

Cap of cast aluminum mounts to underside of table top with three I I/4" elevator bolts and nylon nuts. Center hole accepts standard tapered column.

Base

Base is 4 prong style, cast aluminum with metal glide inserts. Underside is painted satin black with polished aluminum top surface. 24" base used for 24" & 30" dia. tops. 28" base used for 36" dia. tops. Center hole accepts standard tapered column.

Column

Columns 16 gauge 1 3/4" dia. welded steel tubing nickel-chrome plated with standard tapers at both ends. Columns give standard heights of 30" and 42" with 3/4" table top thickness.

Options

Telescopic Column gives table heights of 30", 36" and 42" from a single column. Height adjustment is button operation, secures with

Aluminum SuperEdge - smooth wrap around T-style edging for superior edge protection.

Trumpet Base of 20" & 24" Diameter

Black Finish - All bases and columns available in black finish.



TABLE TOP

COLUMN

HEIGHT

30"

42"

30"/36"/42"

30"

42"

30"/36"/42"

30"

42"

30"/36"/42"

Options: Aluminum SuperEdge, Trumpet Base, Telescopic

Column, Black Base, Black Stationary 30" Or 42" Column

WT

LBS

15

16

18

19

21

24

25

27

28

ITEM

NUMBER

72012

72012H

72018

72011

72010

72009

72001

72000

72002

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.

Laminate Pedestal Table

Tabletop

3/4" commercial grade plywood precision formed. Wilsonart® high pressure laminate on top surface with backer sheet on underside. Six stock laminate choices, other options available upon request. Edging is T-style black vinyl molding.

Mounting Cap

Cap of cast aluminum mounts with three 5/8" bolts and blind nut inserts. Center hole in cap accepts standard tapered column.

Base

Base is 4 prong style, cast aluminum with metal glide inserts. Underside is painted satin black with polished aluminum top surface. 24" base used for 24" & 30" dia. tops. 28" base used for 36" dia. tops. Center hole accepts standard tapered column.


Column

Columns 16 gauge 1 3/4" dia. welded steel tubing nickel-chrome plated with standard tapers at both ends. Columns give standard heights of 30" and 42" with 3/4" table top thickness.

Telescopic Column gives table heights of 30", 36" and 42" from a single column. Height adjustment is button operation, secures with

Trumpet Base of 20" & 24" Diameter

Black Finish - All bases and columns available in black finish.



Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



BLACK

WILD CHERRY

Other options available upon request

Spring Lock Square Leg Laminate Table

Laminate Table Top

3/4" commercial grade plywood core with Wilsonart® high pressure laminate top surface and backer sheet. Six stock laminate choices, other options avialable upon request. Edging is T-style black vinyl molding.

Main Frame and Leg System

Frame constructed of U.S. steel. Rails are formed of 14 gauge steel and fitted to ABS plastic corners. Spring Lock folding legs

of 1.5" square steel tubing. Legs are capped with non-marring insert style glides. Frame and legs are pretreated for rust resistance and paint adhesion. The legs have a black powder coat finish.


Legs and Frame are secured to the tabletop with Spring Lock rigid brackets and 5/8" washer screws. Tension spring provides positive locking in the open position. Legs lock in the closed position with clamshell locking unit.

Options

Modesty Panel - 12" wide with the same construction as the table top. Folds for storage. Available only on rectangle tables.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



Stock Laminate Other options available upon request

BLACK

WILD CHERRY

MONTANA

WALNUT

LACKSTAR

GRANITE

GRAPHITE

NEBULA

Spring Lock Square Leg Plywood Table

Plywood Table Top

3/4" commercial grade plywood precision formed, drilled and stained a medium oak color. PolyCoat finished with a thickness of 3 mils on top and 1.5 mil on bottom surfaces. Edging is T-style black vinyl molding.

Main Frame and Leg System

Frame constructed of U.S. steel. Rails are formed of 14 gauge steel and fitted to ABS plastic corners. Spring Lock folding legs of 1.5" square steel tubing. Legs are capped with non-marring insert style glides. Frame and legs are pretreated for rust resistance and paint adhesion. The legs have a black powder coat finish.

Legs and Frame are secured to the tabletop with ridged brackets and 5/8" washer screws. Tension spring provides positive locking in the open position. Legs lock in the closed position with clamshell locking unit.


Options

SuperCorner - ABS plastic insert reinforces corners to guard against corner damage. Available on rectangle tables only. **Aluminum SuperEdge** - smooth wrap around T-style edging for superior edge protection.

SuperSquare - Square corners with SuperEdge.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.



EVENTruxTM

TRUCK	ITEM	PRODUCT	MAXIMUM	INSIDE SIZE	OVERALL SIZE		CASTER
IMAGE	NUMBER	ACCEPTED	CAPACITY	LxWxH	LxWxH	LBS	SIZE
	04000	Coming F	cc	20" - 40 5"	44" v 40 75" · 40 5"	25	E"
	01800	Series 5	66	39" x 18.5" x -	41" x 18.75" x 43.5"	35	5"
		Gladiator, Wimbledon	25	40" 40 5"	45" 40 75" 40 5"	0.7	
	01800FB	FanBack Series 5	66	43" x 18.5" x -	45" x 18.75" x 43.5"	37	5"
	Chair Cover	Series 5	50	39" x 18.5" x 58"	39" x 18.5" x 58"	5	-
	01900	Gladiator, Wimbledon	25				
0							
-==							
	01800H48	Gladiator, Wimbledon	48	8 - 12" wide tines	45" x 32" x 70"	90	4"
1	01800H72	Gladiator, Wimbledon	72	12 - 12" wide tines	66" x 32" x 70"	100	4"
	01800H56	Econolite	40	8 - 13.5" wide tines	45" x 32" x 73.5"	90	4"
	01000000	Series 5		o - 13.5 wide lines	40 X 32 X 73.0	90	4
	040001104		56	40 40 5"	CC" 20" 72 F"	400	4"
	01800H84			12 - 13.5" wide tines	66" x 32" x 73.5"	100	4"
		Series 5	84				
	04666	O	0.5		00" 00" 04"		E" 40"
	01800T	Gladiator, Wimbledon	25	pallet required	29" x 22" x 64"	56	5", 10"
		Series 5 , FanBack S5	50				
0 6							
	01808	Superb Banquet	10	11.5" wide platform	43" x 22" x 50"	56 3	3", 5", 10"
		Auditorium	11				
3 8		Chiavari	10				
	01814	Chiavari	20	10" wide	27" x 78" x 75"	192	6"
	01814S	Chiavari	20	platform	27" x 78" x 75"	280	6"
				p			
	01804	60", 72" Dia Commercialite	6	32.75" wide	60" x 33" x 46"	62	5"
		60", 72" Dia Plywood	8				
		60", 71" Dia Econolite	10				
N		55 , Dia 2551151115	.0				
	01810	30" x 72" or 96"		29" wide	72" x 30.25" x 37"	60	5"
0		Commercialite, Plywood	18				
	01809	30" x 72" Banquet	10 on side	2 sections	75" x 41.25" x 41"	115	5"
	3.000	18" x 72" Seminar	20 flat	72" x 18" x 34"	A A TILLO ATT		•
		48", 60", 72" Round	8-10 on side				
—							
	01811	30" x 96" Banquet	10 on side	2 sections	99" x 41.25" x 41"	130	5"
		18" x 96" Seminar	20 flat	96" x 18" x 34"			
	01813	30" x 72" or 96" Banquet	6-7				
	01013	18" x 72" or 96" Seminar		19" wide	45" x 30" x 60.25"	00	5" 10"
		10 A 12 OI 90 Seiiiilar	edge	13 WIUE	+5 X 30 X 00.25	30	5", 10"
5			stacked				
	04000	2011 am 2011 De de etel	0		E7" 00" 00"	4.40	C"
	01806	30" or 36" Pedestal	8	custom fit	57" x 22" x 68"	148	6"
	01850	3' x 3' Dance Floor Panel	24	2 outer sections	56.5" x 32" x 46"	185	5"
0		and Edging	24	center section			
		_					

OvationTM Portable Dance Floor

Panels

Each panel is 3'x3' and has two tongue and two groove panel trim edges imbedded into the sides and precisely squared. All panels are exactly the same and interchangeable for fast, easy floor assembly.

Core - 3/4" solid plywood.

Surface - Premium luxury vinyl is bonded to core with environmentally compatible commercial grade adhesive. Vinyl surface is maintenance free and easy to clean.

Backing - Panel backs are spray sealed with GatorBack[™] coating providing traction and moisture resistance for protection against slippage and outdoor elements.



FLOOR

SQ

* GUEST

Trim- Anodized extruded aluminum is precision formed and perfectly squared when assembled to core.

Perimeter Trim

Anodized extruded aluminum precision formed to fit Panel trim. The 4.25" wide perimeter is ribbed and features an II° slope allowing safe and easy access to floor surface.

Cam-Lock

Constructed into each panel and tongue perimeter trim are Cam-Locks. The provided T-handle hex key wrench will be used to lock and unlock the panels and perimeter trim together.

Options


Standard finish in Windsor Oak or Light Oak vinyl. Black or White Laminate and other color options available upon request.

Ovation[™] Portable Dance Floor Transport Truck. Holds 24 3'x3' panels and perimeter trim.

Guarantee

Full 2 year limited warranty against manufacturing defects under normal use. McCourt Manufacturing will repair or replace (at our option) at no charge; customer assumes all freight charges.





CARTS

ITEM

OTE: ASSUME 1/3 OF GUEST WILL DANCE. CAPACITY SHOWN IN THIS CHART IS 1/3 OF TOTAL GUESTS.

